



www.bbtowsupply.com

Call (763)333-4743 Text (763)200-6057

Email: office@bbtowsupply.com


2026 Western Star 49X / B&B 25 ton wrecker / 20k Dual winch attachment

Sale Price \$475,000



Shown on 49X DD16 600HP/ Eaton Fuller 18 speed
 -300" wheelbase, 165" CT Body, 40" tunnel
 -Dual winch extendable boom sidepuller, 140" working stance
 -Full color matched rollup doors
 -DS hydraulic valve with PS joysticks and full proportional remote
 -Est. weight 36,750 lbs
 -Tow performance 17,750lbs ret. 12,800 ext.

-35k Low Pro Underreach
 - 4x4 crossbar
 - Combo offset/high stand fork receivers
 - 5 sets forks



2026 Western Star 49X

- GVWR: 60,000 lbs | GCWR: 80,000 lbs
- Wheelbase: 310" | CA: 180" | Frame length: 400"
- Frame: 13.0mm x 87.0mm x 311.0mm steel, 3.2m RBM

- Heavy-duty steel crossmembers including HD rear C-channel
- Set-forward front axle design for weight distribution
- AirLiner 46,000 lb rear air suspension with auto-fill & dump
- 16,000 lb Taperleaf front suspension
- 16,000 lb front axle – Detroit DA-F-16.0-5
- 46,000 lb rear axles – Meritor RT-46-160
- 3.42 rear axle ratio – optimized for towing
- Air disc brakes (front & rear) – Bendix ADB22X
- Aluminum air tanks with pull cables and coalescing filter
- Eaton Fuller RTLO-20918B 18 speed transmission
- White painted cab, Black frame
- 36" Trench style sleeper
- Premium leather diamond stitch interior
- Dual cab mounted polished vertical exhaust stacks
- Polished aluminum fuel tanks – 150-gallon LH, 50-gallon RH
- Alcoa polished aluminum wheels – Dura-Bright finish
- Bright steel ¼" logger bumper, center tow pin, and WS flaps
- Stainless steel grille bars and surround
- LED headlights with DRL, heated
- DOT/road spec lighting, wiring, and connectors pre-installed

B&B 25/35, 25 Ton Integrated Wrecker

- Low Pro Underlift
- 35,000# Wheel Lift Retracted
- 15,000# Wheel Lift Extended
- 80,000# Towing Capacity
- 110" Reach
- 15 Degrees negative tilt
- 4x4 Crossbar
- 50,000# Boom, Retracted
- 15,000# Boom, Extended
- Combo Offset/Highstand Fork Receivers
- (5) Pairs of Frame Forks
- (2) 25,000# Sepsen Planetary Winches /w Air Release Spool
- (2) 200' 5/8in Winch Lines
- Handcrafted Aluminum Contoured Body
- 14 Function Wireless Proportional Remote
- Powdercoat matched Roll up doors
- Driver Valve Body Controls
- Pass Joystick Hydraulic Controls
- Dual Hydraulic Rear Jack Legs
- Dual 5" Boom Lift Cylinders
- Service Air, Rear
- Tunnel Box

- Aerodynamic Pylon
- 60" LED Pylon Mounted Beacon
- Integrated W/L's & Stop, Tail, Turn
- FMVSS 108 Lighting
- Grease Fitting on All Moving Parts
- Enclosed Junction Box
- Custom Wiring Harness
- 8 Function Dual Station Switch Panel
- D-Rings on Tail Board
- Hot-Shift, Direct Mount PTO
- Bright LED Work Up & Down Lights
- Strobes in the grill and rear of the truck amber/white
- Marker lights outlining the tool boxes
- 7 Pin RV Light Receptacle
- Basic Chain and Strap Tie Down Kit
- Boom Wing Cable Protectors
- Safety Chains
- Towmate Wireless Light Bar
- Mud Flaps
- One Year Warranty on Body
- Additional rigging included
 - (2) snatch block holder
 - (2) Sepson 15T snatch blocks
 - broom and shovel holder
 - (2) blue round slings
 - (2) red round slings
 - (2) Underlift straps
 - (2) Rimslings,
 - (2) 8ft 1/2 chains
 - (2) 15ft 1/2 chains
 - (2) 15ft 3/8 chains
 - (2) Oblongs
 - (4) 6 ton screw pin shackles

B&B 20k Dual Winch Attachment

- Twin Sepson 20k Winches
- 150' 1/2 Synthetic rope
- Passenger side Manual Valve body
- Wireless remote
- Integrated Hydraulic Tank
- Extendable Booms
- 140" working stance